



171000110268



2017苏质监验字268号



中国认可
国际互认
检测
TESTING
CNAS L0160

检验检测报告

Inspection and Testing Report



NZJ(2018)DQ16094Z

NZJ(2018)DQ16094Z

产品名称
Product

光学清障仪器

受检单位
Organization to be Inspected

生产单位
Manufacturer

镇江德仑电气有限公司

委托单位
Consignor

镇江德仑电气有限公司

检验类别
Classification of Test

委托检验



南京市产品质量监督检验院
Nanjing Institute of Product Quality Inspection

注 意 事 项

1. 本机构保证检验检测的科学性、公正性和准确性，对检验检测的数据负责，并对委托方所提供的样品和技术资料保密；
2. 本检验检测报告无编制或主检、审核、批准人的签字，或涂改、未加盖本机构检验检测专用章无效；
3. 不得部分复制本检验检测报告，或复制的检验检测报告未加盖本机构检验检测专用章无效；
4. 非监督类检验检测报告，生产方的相关信息由委托方提供并对其真实性负责；
5. 送样委托检验检测报告，本机构所出具的检验检测结果仅对来样负责；
6. 委托检验检测的剩余样品请在收到本检验检测报告的15-90天内领取，逾期本机构将按本机构规定处理；
7. 若对委托检验检测结果存有异议，请在收到检验检测报告之日起的15日内向本机构提出申请，逾期将不予受理；若对监督检查检验检测结果存有异议，按任务下达部门规定处理；
8. 未经本机构书面同意，不得擅自使用本检验检测报告中的信息进行宣传。

Points for Attention

1. Our institute ensures the professionalism, impartiality and accuracy of all the inspections. Our institute takes responsibility for the inspection results and maintains confidentiality of samples and technology provided by the entrusting party.
2. A valid inspection report has to have all the signatures from the report generator, inspector, reviewer as well as approver and the stamp from our institute. The report will be considered invalid if altered.
3. Do not photocopy parts of the report and a report that has been photocopied is invalid unless stamped by our institute.
4. For non-surveillance inspection reports, the entrusting party should provide the information of the production party and it is the responsibility of the entrusting party to ensure the authenticity of the information.
5. For entrusted inspections, our inspection reports are only responsible for the entrusted samples.
6. For entrusted inspections, unused samples will be available for repossession from 15 to 90 days from the day the inspection report is received after which the samples will be disposed according to our institute regulations.
7. In case of any objections regarding the inspection results of entrusted inspections, please report to our institute within 15 days from the day the inspection report is received. The request will not be processed if the deadline is missed. In case of any objections regarding the inspection results of surveillance inspections, please refer to the regulations from the surveillance department.
8. The information in our inspection reports can not be used for any advertisement without the written consent from our institute.

江苏省智能电网应用产品质量监督检验中心

Jiangsu Quality Supervision and Testing Center for Smart Grid Products

检验检测报告 Inspection and Testing Report

NZJ(2018)DQ16094Z

共2页第1页 Page No:2-1

样品名称 Sample Name	光学清障仪器				
规格型号 Specifications	DLQZY-001	商标 Brand	---		
生产日期\批号 Producing Date/Batch No.	---	样品等级 Grade	---		
抽样地点 Sampling Location	---	样品来源\状态 Sample from\ Description	送样/符合检验要求		
委托单位\地址\电话 Applicant\Add\Tel.	镇江德仑电气有限公司	江苏省扬中市开发区港隆路127号科创中心306	0511-80791357		
受检单位\地址\电话 Unit being Tested\Add\Tel.	---	---	---		
生产单位\地址\电话 Manufacturer\Add\Tel.	镇江德仑电气有限公司	江苏省扬中市开发区港隆路127号科创中心306	0511-80791357		
任务来源 Being Tested form	委托				
抽样日期 Sampling date	---	抽样人员 Sampling staff	---	抽样基数 Sample Batch	---
样品数量 Sample Quantity	1套	检查封样人员 Checking and Sealing Samples	---	样品到达日期 Samples arrival date	2018-09-07
抽样单\委托书编号 Sampling\Applicant No.	1603866	封样状态 Sealing state	---	检验日期 Test Date	2018-09-07~2018-09-11
检验和判定依据 Test Standard(s)	GB/T 2423.1-2008《电工电子产品环境试验 第2部分:试验方法 试验A:低温》 GB/T 2423.2-2008《电工电子产品环境试验 第2部分:试验方法 试验B:高温》 《光学清障仪器技术条件》				
检验结论 Test Conclusion	样品经检验,符合《光学清障仪器技术条件》规定的要求。本检验报告仅对来样负责。				
备注 Note	---				
编制: Personal 签发日期: Signature Date	同雨		审核: Inspector	刘微	
	2018年09月11日		批准: Approval (检验检测专用章) Stamp of Testing		

江苏省智能电网应用产品质量监督检验中心

Jiangsu Quality Supervision and Testing Center for Smart Grid Products

检验检测报告

Inspection and Testing Report

NZJ(2018)DQ16094Z

共 2 页第 2 页 Page No:2-2

序号	检验检测项目	技术要求	单位	检验检测结果	单项评价
1	外观与结构	清障仪器表面应光洁、平整，不应有明显的凹痕、划伤、裂缝、变形	—	符合要求	合格
		清障仪器结构件、紧固件应牢固可靠，接插件接触良好无松脱，操作件应灵活可靠		符合要求	
2	功能	具有无线视频显示功能、星光级 CCD，可满足昼夜工作、可见激光指示功能、数字化瞄准功能	—	符合要求	合格
3	工作对象	具有切割纸质、塑料、橡胶、尼龙等非金属制品的功能	—	符合要求	合格
4	激光功率	最大为 500	W	500	合格
5	功率范围	应为 0~500(连续可调)	W	0~500	合格
6	工作距离	激光功率为 500W 时，工作距离范围为 >200	m	205	合格
7	连续工作时间	≥2	h	>2	合格
8	电源适应性	清障仪器应能在 AC 198V~242V 范围内正常工作	—	符合要求	合格
9	高温贮存	清障仪器在 60℃ 的高温环境中贮存 16h，试验后常温环境中恢复 1h，应正常工作	—	符合要求	合格
10	低温贮存	清障仪器在 -20℃ 的低温环境中贮存 16h，试验后常温环境中恢复 1h，应正常工作	—	符合要求	合格

恆恆恆恆女加草
(4)
3201022005501



南京市产品质量监督检验院

NANJING INSTITUTE OF PRODUCT QUALITY INSPECTION

地址 (Add) : 南京市玄武区红山路168号

邮编 (P. C) : 210028

电话 (Tel) : 025-52366666

传真 (Fax) : 025-52366762

国家加工食品及食品添加剂质量监督检验中心 (南京)

地址 (Add) : 南京市建邺区嘉陵江东街3号南京质监大厦

邮编 (P. C) : 210019

电话 (Tel) : 025-86673778

传真 (Fax) : 025-52366762

国家金银制品质量监督检验中心 (南京)

地址 (Add) : 南京市玄武区红山路168号

邮编 (P. C) : 210028

电话 (Tel) : 025-52366800

传真 (Fax) : 025-85416425

国家建材产品质量监督检验中心 (南京)

地址 (Add) : 南京市江宁区诚信大道1828号

邮编 (P. C) : 211102

电话 (Tel) : 025-87120110

传真 (Fax) : 025-87120110

国家软件产品质量监督检验中心 (江苏)

地址 (Add) : 南京市雨花台区宁双路28号汇智大厦7楼

邮编 (P. C) : 210012

电话 (Tel) : 025-52366811

传真 (Fax) : 025-52366811

江苏省智能电网应用产品质量监督检验中心

地址 (Add) : 南京市江宁区智能电网科技产业园水阁路8号

邮编 (P. C) : 211106

电话 (Tel) : 025-84983013

传真 (Fax) : 025-84983013